

CCS 2018 Summer School

Monitoring and Understanding Sea Level from Space

Carmen Boening




Why are we interested in sea level changes?


Worldwide, ~150 million people (5m in US) live within zones at risk from just 1 meter (~3 ft) of sea level rise Mitigation costs in the billions of dollars (For example, shoreline retreat in the United States is projected to cost between USD 270 billion to 475 billion for each meter of sea level rise) Hurricane Sandy Sea level rise added an additional 1 foot to storm

surge.


ipl.nasa.gov


What do the predictions say?






How do we measure sea level change?








Jevrejiva et al., 2014


How do we measure sea level from space?




Sea Surface Height Measurements – TOPEX/Poseidon Jason - Technique



Image Credit: NASA




Global Mean Sea Level




Mass Measurements – GRACE and GRACE-Follow On - Technique




Image Credit: Airbus




Global Mean Ocean Mass




Records of sea level change since 1992



Using Multiple Satellites to "Track" Water



Terrestrial Water Storage in 2010 and 2011




Arapaho Glacier (Boulder, CO)



Weighing Glacial Melt


- 198,000 glaciers in the world
- Cover an area of 726,000 km²
- 1/3 of current sea level rise




Gardner et al., 2013

Ice Sheet Loss affecting sea level

GREENLAND ICE MASS LOSS 2003-2013





Greenland: ~7 m sea level eqv. Antarctica: ~60 m sea level eqv.

GRACE weighs the ice sheets and identifies loss and gain on regional level




Image Credit: NASA jpl.nasa.gov

Ice Sheet Loss affecting sea level






Image Credit: NASA jpl.nasa.gov

Percentage contribution to Sea Level Rise



Regional changes




Total Sea Level change

Total Sea Level change w/o the global trend


Steric Sea Level change

Regional Differences






What is the El Niño Southern Oscillation?




"El Niño-Southern Oscillation (ENSO) is an irregularly periodical variation in winds and sea surface temperatures over the tropical eastern Pacific Ocean. The warming phase is known as El Niño and the cooling phase as La Niña. Southern Oscillation is the accompanying atmospheric component, coupled with the sea temperature change: El Niño is accompanied with high, and La Niña with low air surface pressure in the tropical western Pacific. The two periods last several months each (typically occur every few years) and their effects vary in intensity."


Definition of ENSO




Definition of ENSO




How does it affect us?





How does it affect us?




Sea Level Fingerprints










Looking at NASA (sea level) data





jpl.nasa.gov

To access additional layout options:

Click on "Home Tab," then click on the downward arrow next to the "New Slide" icon located on the left corner of the menu bar.



jpl.nasa.gov